



NOTES:

1. DETAIL IS DESIGNED TO ACCOMMODATE 50% (MAX.) TOTAL MOVEMENT.
2. BACKER ROD AND TOOLED SEALANT OR OTHER MANUFACTURER APPROVED WATERTIGHT EXPANSION JOINT SYSTEM ARE REQUIRED TO BE INSTALLED PRIOR TO HYDROGEL/SKRIMTAPE INSTALLATION.

G:\My Drive\Epro Master Folder\Drafting\Details\Walls\Hydrogel\21.250.1 WALL TO WALL EXPANSION JOINT - PLAN VIEW.dwg [Detail] July 01, 2020 - 2:04pm

WALL TO WALL EXPANSION JOINT - PLAN VIEW

	SYSTEM NAME	DRAWING NUMBER	
	HYDROGEL	21.250.1	
	DRAFTER	DATE	
	RJT	07/01/2020	

AS A SUPPLIER OF FINISHED PRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

NTS

PAGE 1 OF 1