


**NOTES:**

1. XT5 IS NOT RATED FOR LONG TERM UV EXPOSURE AND MUST BE PROTECTED WITH BACKFILL, CONCRETE, OR WITHIN AN ENCLOSED TANK.
2. FOR LONG TERM UV EXPOSURE, SEE XT1.

G:\shortcut-targets-by-id\0B1j3RtmQZ-btQUNgNGJPcEc0Z1k\Epro Master Folder\Drafting\Details\Walls\XT5\24.252.2 WALL CRACK AND JOINT TREATMENT - PLAN VIEW - STATIC - 1 16 - 1 8 INCH.dwg [Detail] September 29, 2022 - 11:43am

**WALL CRACK AND JOINT TREATMENT - PLAN VIEW - STATIC - (1/16" - 1/8")**

	SYSTEM NAME	DRAWING NUMBER	<h1>XT5</h1>
	XT5	24.252.2	
	DRAFTER	DATE	
	RJT	09/19/2022	

AS A SUPPLIER OF FINISHED RPRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

NTS

PAGE 1 OF 1