



NOTES:

1. XT5 IS NOT RATED FOR LONG TERM UV EXPOSURE AND MUST BE PROTECTED WITH BACKFILL, CONCRETE, OR WITHIN AN ENCLOSED TANK.
2. FOR LONG TERM UV EXPOSURE, SEE XT1.

G:\shortcut-targets-by-id\0B1j3RtmQZ-btQUngNGJPcEc0Z1k\Epro Master Folder\Drafting\Details\Walls\XT5\24.252.4 WALL CRACK AND JOINT TREATMENT - PLAN VIEW - STATIC - GREATER THAN 1 4 INCH.dwg [Detail] September 29, 2022 - 11:42am

WALL CRACK AND JOINT TREATMENT - PLAN VIEW - STATIC - (>1/4")



SYSTEM NAME

XT5

DRAFTER

RJT

DRAWING NUMBER

24.252.4

DATE

09/19/2022

**XT5**

AS A SUPPLIER OF FINISHED PRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

NTS

PAGE 1 OF 1