


- NOTES:
1. JOINT MOVEMENT NO MORE THAN 1/4".
  2. DO NOT EXTEND GEO-SEAL EFC OVER JOINT SEALANT.

AS A SUPPLIER OF FINISHED PRODUCTS ONLY, EPRO SERVICES, INC. DOES NOT ASSUME RESPONSIBILITY FOR ERRORS IN DESIGN, ENGINEERING OR DIMENSIONS. THE PROJECT TEAM MUST VERIFY ALL DIMENSIONS AND SUITABILITY OF DETAILS. THE PRODUCTS LISTED ARE TRADEMARKS OF EPRO SERVICES, INC.

**eipro**  
 1328 E. KELLOGG DRIVE  
 WICHITA, KS 67211  
 1-800-882-1896  
 EPROINC.COM

**Geo-Seal**<sup>®</sup>  
 Vapor Intrusion Barrier



|                    |       |
|--------------------|-------|
| DRAWING NUMBER     |       |
| 60.012.0           |       |
| SYSTEM NAME        |       |
| GEO-SEAL EFC       |       |
| SYSTEM DESCRIPTION |       |
| EXPANSION JOINT    |       |
| DATE               |       |
| 12/08/2021         |       |
| DRAWN BY           | SCALE |
| RJT                | NTS   |
| PAGE 1 OF 1        |       |