

# HYDROGEL

## HOT APPLIED POLYMER RUBBER GEL



Hot fluid-applied polymer rubber gel composite membrane system  
Self-healing, non-curing, versatile, fast application



### HydroGel Polymer Rubber Gel

**HydroGel** is a single component, 99% solids, highly elastomeric modified polymer rubber gel with exceptional adhesive properties. **HydroGel** is a post-applied waterproofing systems for above and below grade construction, ideal for both new construction and restoration applications. Its superior flexibility, adhesiveness, and self-healing characteristics make **HydroGel** the ideal choice for effective, permanent waterproofing. **HydroGel** can be applied to green concrete, reducing overall project time and costs.

### Superior productivity with proven performance

- **99% solids content, single component material.** No material loss in heating. No mixing components. No VOCs. Low odor.
- **Spray application.** Extremely fast, reduced labor, productive application using heated spray pumps ensures timely project completion.
- **Squeegee application.** Fast, productive application using traditional hot applied methods ensures timely project completion.
- **Fully adhered application.** Eliminates lateral water migration.
- **Ideal for restoration waterproofing.** Adheres and conforms well to rough substrates reducing surface prep and speeding production.
- **Composite waterproofing system.** Dual layer high performance system consisting of a durable protection course over the self-healing polymer rubber gel system.
- **Applies to green concrete, no surface primer is necessary.** No cure time. No need to wait 28 days prior to application. Application is quick with minimal substrate prep.



EPRO Services Inc. Kansas City, MO 64129  
www.eproinc.com tel 800.882.1896