


TURBOSEAL

COLD APPLIED POLYMER RUBBER GEL



Cold fluid-applied polymer rubber gel composite membrane system
Self-healing, non-curing, flexible, versatile



TurboSeal Polymer Rubber Gel

TurboSeal is a single component, cold fluid-applied, 75% solids, highly elastomeric modified polymer rubber gel with exceptional adhesive properties. **TurboSeal** is a post-applied waterproofing systems for above and below grade construction, ideal for both new construction and restoration applications. Its superior flexibility, adhesiveness, and self-healing characteristics make **TurboSeal** the ideal choice for effective, permanent waterproofing. **TurboSeal** can be applied to green concrete, reducing overall project time and costs.

Cold fluid applied versatility

- **Single component material, low odor.** No mixing components for easier application. No VOCs. No offensive asphalt or solvent odor.
- **Easy cold fluid-applied application.** Productive, safe application in any environment or jobsite location.
- **Fully adhered.** Eliminates lateral water migration.
- **Ideal for restoration waterproofing.** Adheres and conforms well to rough substrates reducing surface prep and speeding production.
- **Composite waterproofing system.** Dual layer high performance system consisting of a durable protection course over the self-healing polymer rubber gel system.
- **Applies to green concrete, no surface primer is necessary.** No cure time. No need to wait 28 days prior to application. Application is quick with minimal substrate prep.



EPRO Services Inc. Kansas City, MO 64129
www.eproinc.com tel 800.882.1896